



		mm	TÜV	System	front			rear		
<b>AMC Jeep</b>										
Jeep CJ5 / CJ7	76-86	+65	o.k.	<b>S01239</b>		2	58600		2	58450
						2	77012		2	77112
									1	17779
Jeep CJ5 / CJ7 (only for vehicles with power steering)	76-86	+100	o.k.	<b>SCB01429</b>		1	52080		1	52080
						2	77015		2	77115
						1	PA30		1	17804
<b>Chevrolet / GMC</b>										
Blazer, Jimmy, Pickup K5 (1/2 ton)	73-76	+100	---	<b>S07419</b>		2	58470		2	58720
						2	77023		1	17837
Blazer, Jimmy, Suburban K5 (1/2 ton)	76-91	+100	---	<b>S07429</b>		2	58470		2	58720
						2	77023		1	17838
Blazer, Suburban K20 (3/4 t)	76-91	+100	---	<b>S07459</b>		2	58470		2	58720
						2	77023		2	77149
									1	17871
Pickup K10 (1/2 ton)	76-87	+100	---	<b>S07429</b>		2	58470		2	58720
						2	77023		1	17838
Pickup K10 (1/2 ton)	76-87	+100	---	<b>S07449</b>		2	58470		2	58720
						2	77023		2	77148
									1	17870
Pickup K20 (3/4 t)	76-87	+100	---	<b>S07459</b>		2	58470		2	58720
						2	77023		2	77149
									1	17871
<b>Chrysler Jeep</b>										
Commander XK, XH	05-	+50	o.k.	<b>S05219</b>		1			2	57140
<b>Cherokee</b>										
Cherokee XJ (Axle-Ø 71 mm)	84-01	+50	o.k.	<b>S08279</b>		2	58750		2	57480
						1	76041		2	77155
						1	13651		1	15839
Cherokee XJ (Axle-Ø 71 mm) (HD front spring)	84-01	+50	o.k.	<b>S08289</b>		2	58880		2	57480
						1	76003		2	77155
						1	13651		1	15839
Cherokee XJ (Axle-Ø 71 mm)	84-01	+75	o.k.	<b>S08319</b>		2	57880		2	57520
						1	76051		2	77143
									1	17866
Cherokee XJ (Axle-Ø 71 mm) (left-hand drive models only)	84-01	+115	o.k.	<b>S08519</b>		2	57810		2	57870
						1	76039		2	77174
						1	83402		1	17687
Cherokee / Liberty KJ	02-08	+50	o.k.	---						*
<b>Grand Cherokee</b>										
Grand Cherokee ZJ, ZG, <i>sport</i>	92-98	+50	o.k.	<b>S08239</b>		2	58880		2	58350
						1	76003		1	76120
									1	17873
Grand Cherokee ZJ, ZG, <i>comfort</i>	92-98	+50	o.k.	<b>S08299</b>		2	59290		2	57990
						1	76003		1	76120
									1	17873
Grand Cherokee ZJ, ZG, <i>sport</i>	92-98	+75	---	<b>S08359</b>		2	57880		2	57300
						1	76072		1	76172
									1	17873
Grand Cherokee WJ, WG (Gas)	99-04	+50	o.k.	<b>S08339</b>		2	56720		2	57330
						1	76047		1	76147
Grand Cherokee WJ, WG (Diesel)	99-04	+50	o.k.	<b>S08349</b>		2	56720		2	57330
						1	76059		1	76147
Grand Cherokee WK, WH	05-	+50	o.k.	---						

\* new or changed  
\*\* only springs  
--- in process, soon available



		mm	TÜV	System	front		rear			
<b>Wrangler</b>										
Wrangler JK (spacer kit)	07-	+50	o.k.	<b>S05229</b>		2	56660		2	59190
									1	17783
Wrangler JK, short , Gas, all	07-	+50	o.k.	<b>SCB05259-1</b>		2	52100		2	52110
						1	76097		1	76196
										17877
Wrangler JK, short , Diesel, all	07-	+50	o.k.	<b>SCB05259-2</b>		2	52100		2	52110
						1	76096		1	76196
										17877
Wrangler JK, long , Gas, all	07-	+50	o.k.	<b>SCB05259-3</b>		2	52100		2	52110
						1	76096		1	76194
										17877
Wrangler JK, long , Diesel, all	07-	+50	o.k.	<b>SCB05259-4</b>		2	52100		2	52110
						1	76094		1	76194
										17877
Wrangler JK, short , Gas (incl. Rubicon), <i>comfort</i>	07-	+75	o.k.	<b>S05359-07</b>		2	59250		2	56790
						1	76510		1	76199
						1	83412		1	17699
Wrangler JK, short , Diesel (incl. Rubicon), <i>comfort</i>	07-	+75	o.k.	<b>S05359-05</b>		2	59250		2	56790
						1	76064		1	76199
						1	83412		1	17699
Wrangler JK, long , Gas (incl. Rubicon), <i>comfort</i>	07-	+75	o.k.	<b>S05359-03</b>		2	59250		2	56790
						1	76064		1	76164
						1	83412		1	17699
Wrangler JK, long , Diesel (incl. Rubicon), <i>comfort</i>	07-	+75	o.k.	<b>S05359-01</b>		2	59250		2	56790
						1	76095		1	76164
						1	83412		1	17699
Wrangler JK, short , Gas (incl. Rubicon), <i>sport</i>	07-	+75	o.k.	<b>S05359-12</b>		2	59350		2	56780
						1	76510		1	76199
						1	83412		1	17699
Wrangler JK, short , Diesel (incl. Rubicon), <i>sport</i>	07-	+75	o.k.	<b>S05359-11</b>		2	59350		2	56780
						1	76064		1	76199
						1	83412		1	17699
Wrangler JK, long , Gas (incl. Rubicon), <i>sport</i>	07-	+75	o.k.	<b>S05359-10</b>		2	59350		2	56780
						1	76064		1	76164
						1	83412		1	17699
Wrangler JK, long , Diesel (incl. Rubicon), <i>sport</i>	07-	+75	o.k.	<b>S05359-09</b>		2	59350		2	56780
						1	76095		1	76164
						1	83412		1	17699
Wrangler JK, short (not Rubicon)	07-	+100	o.k.	---						*
Wrangler JK, short (Rubicon only)	07-	+100	o.k.	---						*
Wrangler JK, long (not Rubicon)	07-	+100	o.k.	---						*
Wrangler JK, long (Rubicon only)	07-	+100	o.k.	---						*
Wrangler TJ (spacer kit)	96-	+50	o.k.	<b>S04219</b>		2	58750		2	58490
									1	17800
Wrangler TJ	96-	50	o.k.	<b>SCB04229</b>		2	52060		2	52070
						1	76076		1	76176
									1	16859
Wrangler TJ	96-02	+75	o.k.	<b>S04319</b>		2	58750		2	58490
						1	76077		1	76177
									1	17809
Wrangler TJ	03-06	+75	o.k.	<b>S04329</b>		2	58750		2	58490
						1	76077		1	76177
									1	17798
Wrangler TJ, 4 cyl.	96-02	+100	o.k.	<b>S04459</b>		2	59290		2	58820
						1	76037s		1	76137
									1	17801
Wrangler TJ, 6 cyl.	96-02	+100	o.k.	<b>S04449</b>		2	59290		2	58820
						1	76037		1	76137
									1	17801

\* new or changed  
\*\* only springs  
--- in process, soon available














































































		mm	TÜV	System	front		rear			
<b>Wrangler</b>										
Wrangler TJ, 4 cyl.	03-06	+100	o.k.	<b>S04479</b>		2	59290		2	58820
						1	76037s		1	76137
									1	17785
Wrangler TJ, 6 cyl.	03-06	+100	o.k.	<b>S04469</b>		2	59290		2	58820
						1	76037		1	76137
									1	17785
Wrangler YJ	86-95	+50	o.k.	<b>SCB04139</b>		1	52030		1	52040
						2	77107		2	77107
									1	17789
Wrangler YJ	86-95	+100	o.k.	<b>SCB04429</b>		1	52030		1	52050
						2	77031		2	77131
									1	17803
<b>Daihatsu</b>										
Feroza, F300	88-97	+35/50	o.k.	<b>S14219</b>		2	59650		2	57210
									1	31510
<b>Dodge</b>										
Pickup W200, Military	69-91	+100	---	<b>S26439</b>		2	57620		2	57770
						2	77024		1	31549
						1	16797		1	15794
									1	16815
<b>Ford</b>										
Maverick, short, UDS/UNS	93-98	+25/50	o.k.	<b>S47219</b>		2	57700		2	58510
									1	76146
Maverick, long, UDS/UNS	93-98	+25/50	o.k.	<b>S47229</b>		2	57700		2	58510
									1	76102
Maverick, short, UDS/UNS	93-98	+50/80	o.k.	<b>S47329</b>		2	57700		2	58890
						1	17875		1	76102
Maverick, long, UDS/UNS	93-98	+50/80	o.k.	<b>S47319</b>		2	57700		2	58890
						1	17875		1	76160
<b>Hyundai</b>										
Galopper II short, <i>sport</i>	98-	+30/60	o.k.	<b>S15259</b>		2	57410		2	57160
						1	16746		1	76106k
Galopper II long, <i>sport</i>	98-	+30/60	o.k.	<b>S15229</b>		2	57410		2	57160
						1	16746		1	76106
<b>Isuzu</b>										
Campo 4WD	88-91	+25/50	o.k.	<b>S41249</b>		2	57700		2	58450
						1	16735		2	77106
Trooper, UBS 13/16/52	83-86	+50	---	<b>S27219</b>		2	57700		2	58450
						1	16735		2	77106
Trooper, UBS 17/55	86-	+50	---	<b>S27229</b>		2	57700		2	58710
						1	16735		2	77106
Trooper	00-	+25/50	o.k.	<b>S44219</b>		2	57700		2	57360
						1	16736		1	76122
<b>Iveco</b>										
Massif 5-door	08-	+50	o.k.	<b>S31219</b>		2	57030		2	56940
						2	77059		2	77159
									1	17729
Massif 3-door	08-	+50	o.k.	<b>S31229</b>		2	57030		2	56940
						2	77059		2	77164
									1	17876

\* new or changed


\*\* only springs





































































--- in process, soon available



		mm	TÜV	System	front		rear			
<b>Lada</b>										
Niva, 4x4 M 2121-4, <i>comfort</i>	10-	+50	o.k.	<b>S33239</b>		2	57860		2	56810
						1	76509		1	76161
						1	16862		1	17682
Niva, 4x4 M 2121-4, <i>sport</i>	10-	+50	o.k.	<b>S33249</b>		2	58180		2	56820
						1	76509		1	76161
						1	16862		1	17682
Niva, 2121, <i>comfort</i>	76-09	+50	o.k.	<b>S33219</b>		2	57860		2	59430
						1	76061		1	76161
									1	16858
Niva, 2121, <i>sport</i>	76-09	+50	o.k.	<b>S33229</b>		2	58180		2	59200
						1	76061		1	76161
									1	16858
<b>Land Rover</b>										
Defender 90	84-	+50	o.k.	<b>S30219</b>		2	54400		2	54410
						1	76014		1	76114
Defender 110	83-	+40	o.k.	<b>S30229</b>		2	54400		2	54410
						1	76014		1	76156
Defender 130	91-	+30	o.k.	<b>S30229</b>		2	54400		2	54410
						1	76014		1	76156
Discovery I	90-98	HD +20	o.k.	<b>S30119</b>		2	54380		2	54390
						1	76013		1	76113
Discovery I	90-98	+50	o.k.	<b>S30219</b>		2	54400		2	54410
						1	76014		1	76114
Range Rover Classic	70-94	HD +20	o.k.	<b>S30119</b>		2	54380		2	54390
						1	76013		1	76113
Range Rover Classic	70-94	+50	o.k.	<b>S30219</b>		2	54400		2	54410
						1	76014		1	76114
<b>Mercedes</b>										
Mercedes G (not 400 CDI)	79-	HD +40	---	<b>S52210**</b>		1	76034		1	76134
		HD +40	ok	<b>S52219</b>		2	54460		2	54480
						1	76034		1	76134
<b>Mitsubishi</b>										
Pickup L200, KAOT	06-	50/60	o.k.	<b>S57239</b>		2	50110		2	54220
						1	76090		2	77162
									1	17692
Pickup L200, KAOT (rear block kit)	06-	50/50	o.k.	<b>S57249</b>		2	50110		2	54220
						1	76090		1	17697
Pickup L200, KAOT	06-	65/75	o.k.	<b>S57319</b>		2	50111		2	54220
						1	76090		2	77173
									1	17694
Pickup L200, K7_T 4WD	9/96-4/06	+30/50	o.k.	<b>S57229</b>		2	57700		2	58890
						1	17865		2	77150
Pickup L200, K2_T, K3_T	87-8.96	+30/50	o.k.	<b>S57219</b>		2	58500		2	58510
						1	17865		2	77150
Galopper short, <i>sport</i>	8/98-	+30/50	o.k.	<b>S15259</b>		2	57410		2	57160
						1	16746		1	76106k
Galopper long, <i>sport</i>	8/98-	+30/50	o.k.	<b>S15229</b>		2	57410		2	57160
						1	16746		1	76106

\* new or changed  
\*\* only springs  
--- in process, soon available







		mm	TÜV	System	front		rear			
<b>Mitsubishi</b>										
Pajero (L040) 	82-12.91	+30/70	o.k.	<b>S10219</b>		2	58500		2	58450
						1	16775		2	77103
Pajero V6 short (L040), <i>sport</i>	88-91	+30/50	o.k.	<b>S15259</b>		2	57410		2	57160
						1	16746		1	76106k
Pajero V6 long (L040), <i>sport</i>	88-91	+30/50	o.k.	<b>S15229</b>		2	57410		2	57160
						1	16746		1	76106
Pajero V20 short	91-00	+30/50	o.k.	<b>S15249</b>		2	57420		2	58090
						1	16746		1	76106k
Pajero V20 long	91-00	+30/50	o.k.	<b>S15239</b>		2	57420		2	58090
						1	16746		1	76106
<b>Nissan</b>										
Navara D40	05-	+40/60	o.k.	<b>S09259</b>		2	50050		2	56580
(with new leaf spring)						1	76092		2	77166
									1	17880
Navara D40 (rear block kit)	05-	+40/50	o.k.	<b>S09249</b>		2	50050		2	56580
						1	76092		1	17879
Navara D40	05-	+40/60	o.k.	<b>S09269</b>		2	50050		2	56580
(with new HD spring, +300kg)						1	76092		2	77169
									1	17690
Patrol 160, K160, WG160, VG160	80-83	+60	o.k.	<b>S13229</b>		2	58580		2	58570
						2	77001		2	77101
									1	17778
Patrol 160, K160, WG160, VG160	83-89	+60	o.k.	<b>S13219</b>		2	58580		2	58570
						2	77001		2	77101
									1	17773
Patrol K260	90-	+60	o.k.	<b>S13239</b>		2	59550		2	58890
						2	77021		2	77101
									1	17773
Patrol GR, Y60, short	8/87-9/97	+60	o.k.	<b>S16229</b>		2	54530		2	54520
						1	76004		1	76104
						1	16757		1	16826
Patrol GR, GY60, long	8/87-9/97	+60	o.k.	<b>S16219</b>		2	54530		2	54520
						1	76004		1	76104
						1	16757			
Patrol GR, Y61, short, comfort	10/97-	+60	o.k.	<b>S16249</b>		2	54530		2	54520
						1	76036		1	76136
						1	17691		1	16856
Patrol GR, Y61, short, sport	10/97-	+60	o.k.	<b>S16269</b>		2	54380		2	54570
						1	76036		1	76136
						1	17691		1	16856
Patrol GR, GY61, long, comfort	10/97-	+60	o.k.	<b>S16239</b>		2	54530		2	54520
						1	76036		1	76136
						1	17691		1	16826
Patrol GR, GY61, long, sport	10/97-	+60	o.k.	<b>S16259</b>		2	54380		2	54570
						1	76036		1	76136
						1	17691		1	16826
Pickup, (M)D21	9/85-2/98	+25/65	o.k.	<b>S09219</b>		2	57420		2	58450
						1	17812		2	77104
Pickup, (M)D22, NP300	3/98 -	+25/65	o.k.	<b>S09239</b>		2	57420		2	58450
						1	17812		2	77104

\* new or changed


\*\* only springs




--- in process, soon available



		mm	TÜV	System	front		rear	
<b>Nissan</b>								
Terrano I, WD21	86-9/95	+25/50	o.k.	<b>S11219</b>	 2	57700	 2	58450
					 1	16750	 1	76102
Terrano II, short, R20	2/93-07	+25/50	o.k.	<b>S47219</b>	 2	57700	 2	58510
							 1	76146
Terrano II, long, R20	2/93-07	+25/50	o.k.	<b>S47229</b>	 2	57700	 2	58510
							 1	76102
Terrano II, short, R20	2/93-07	+50/80	o.k.	<b>S47329</b>	 2	57700	 2	58890
					 1	17875	 1	76102
Terrano II, long, R20	2/93-07	+50/80	o.k.	<b>S47319</b>	 2	57700	 2	58890
					 1	17875	 1	76160
<b>Opel</b>								
Campo 4WD, TF	92-	+25/50	o.k.	<b>S41249</b>	 2	57700	 2	58450
					 1	16735	 2	77106
Frontera A, 4WD	92-95	+25/50	o.k.	<b>S41219</b>	 2	57700	 2	58870
					 1	16735	 2	77106
Frontera A, short	95-97	+25/50	o.k.	<b>S41259</b>	 2	59650	 2	57360
							 1	76185
Frontera A, long	95-97	+25/50	o.k.	<b>S41239</b>	 2	59650	 2	57360
							 1	76148
Frontera B, short	98-04	+25/50	o.k.	<b>S41269</b>	 2	59650	 2	57280
							 1	76185
Frontera B, long	98-04	+25/50	o.k.	<b>S41229</b>	 2	59650	 2	57280
							 1	76148
Monterey	92-00	+25/50	o.k.	<b>S44219</b>	 2	57700	 2	57360
					 1	16736	 1	76122
<b>Suzuki</b>								
Jimny (gas) with ABS <i>sport</i>	98-	+50	o.k.	<b>S54219</b>	 2	57690	 2	57350
					 1	76043	 1	76143
Jimny (gas) with ABS <i>comfort</i>	98-	+50	o.k.	<b>S54259</b>	 2	56730	 2	59360
					 1	76043	 1	76143
Jimny (gas) without ABS <i>sport</i>	98-	+50	o.k.	<b>S54229</b>	 2	57690	 2	57350
					 1	76043	 1	76143
							 1	16857
Jimny (gas) without ABS <i>comfort</i>	98-	50	o.k.	<b>S54279</b>	 2	56730	 2	59360
					 1	76043	 1	76143
							 1	16857
Jimny (diesel) with ABS <i>sport</i>	98-	+50	o.k.	<b>S54239</b>	 2	57690	 2	57350
					 1	76053	 1	76143
Jimny (diesel) with ABS <i>comfort</i>	98-	+50	o.k.	<b>S54269</b>	 2	56730	 2	59360
					 1	76053	 1	76143
Jimny (diesel) without ABS <i>sport</i>	98-	+50	o.k.	<b>S54249</b>	 2	57690	 2	57350
					 1	76053	 1	76143
							 1	16857
Jimny (diesel) without ABS <i>comfort</i>	98-	+50	o.k.	<b>S54289</b>	 2	56730	 2	59360
					 1	76053	 1	76143
							 1	16857

\* new or changed  
 \*\* only springs  
 --- in process, soon available




		mm	TÜV	System	front		rear		
<b>Suzuki</b>									
Samurai, SJ 410, SJ 413 <i>sport</i> short (gas)	85-	+50	o.k.	<b>S02219</b>	 2	59520	 2	58600	
					 2	77018	 2	77118	
								1 17863	
Samurai, SJ 410, SJ 413 <i>comfort</i> short (gas)	85-	+50	o.k.	<b>S02229</b>	 2	59520	 2	58900	
					 2	77018	 2	77118	
								1 17863	
Samurai, SJ 410, SJ 413 <i>comfort</i> short (diesel)	85-	+50	o.k.	<b>S02249</b>	 2	59520	 2	58900	
					 2	77060	 2	77118	
								1 17863	
Samurai, SJ 410, SJ 413 <i>comfort</i> long (gas)	85-	+50	o.k.	<b>S02239</b>	 2	59520	 2	58900	
					 2	77018	 2	77160	
								1 17863	
Samurai, SJ 410, SJ 413 <i>comfort</i> long (diesel)	85-	+50	o.k.	<b>S02259</b>	 2	59520	 2	58900	
					 2	77060	 2	77160	
								1 17863	
Samurai, SJ 410, SJ 413 <i>sport</i> (except diesel)	85-	+70	o.k.	<b>S02319</b>	 2	59520	 2	58600	
					 1	31505	 1	31505	
								1 17863	
Samurai, SJ 410, SJ 413 <i>comfort</i> (except diesel)	85-	+70	o.k.	<b>S02329</b>	 2	59520	 2	58900	
					 1	31505	 1	31505	
								1 17863	
Samurai, SJ 410, SJ 413 <i>sport</i> (except diesel)	85-	+80	o.k.	<b>S02379</b>	 2	58370	 2	59390	
					 2	77051	 2	77151	
								1 17854	
(only for vehicles without power steering)									
Samurai, SJ 410, SJ 413 <i>comfort</i> (except diesel)	85-	+80	o.k.	<b>S02369</b>	 2	59440	 2	58790	
					 2	77051	 2	77151	
								1 17854	
(only for vehicles without power steering)									
<b>Grand Vitara</b>									
New Grand Vitara (JT), <i>comfort</i>	05-	+50	o.k.	<b>S18219</b>			 1	76154	
						1 16774	 2	57190	
New Grand Vitara (JT), <i>sport</i>	05-	+50	o.k.	<b>S18239</b>			 1	76154	
						1 16774	 2	59630	
Grand Vitara (FT,GT), short	98-05	+35	o.k.	<b>S17160**</b>	 1	76078	 1	76150	
		+35	o.k.	<b>S17169</b>	 2	50501	 2	59660	
					 1	76078	 1	76150	
Grand Vitara (FT,GT), long (notXL7)	98-05	+35	o.k.	<b>S17150**</b>	 1	76050	 1	76150	
		+35	o.k.	<b>S17159</b>	 2	50501	 2	59660	
					 1	76050	 1	76150	
<b>Vitara</b>									
Vitara Long	91-98	+35	o.k.	<b>S17130**</b>	 1	76044	 1	76150	
		+35	o.k.	<b>S17139</b>	 2	50501	 2	59660	
					 1	76044	 1	76150	
		+50	o.k.	<b>S17239</b>	 2	50504	 2	58130	
					 1	76074	 1	76187	
								1 17872	
Vitara Long (V6+Diesel)	91-98	+35	o.k.	<b>S17160**</b>	 1	76078	 1	76150	
		+35	o.k.	<b>S17169</b>	 2	50501	 2	59660	
					 1	76078	 1	76150	
		+50	o.k.	<b>S17249</b>	 2	50504	 2	58130	
					 1	76050	 1	76187	
								1 17874	

\* new or changed

\*\* only springs


--- in process, soon available



		mm	TÜV	System	front		rear					
<b>Vitara</b>												
Vitara Short	88-98	+35	o.k.	<b>S17120**</b>		1	76044		1	76144	*	
		+35	o.k.	<b>S17129</b>		2	50501		2	59660		
						1	76044		1	76144		
		+50	o.k.	<b>S17219</b>		2	50504		2	58130		
						1	76074		1	76150		
									1	17872		
(50mm suspension + 50mm bodylift)		+100	o.k.	<b>S17419</b>		2	50504		2	58130		
						1	76074		1	76150		
						1	99250		1	17872		
Vitara (V6+Diesel) short	88-98	+35	o.k.	<b>S17140**</b>		1	76074		1	76144	*	
		+35	o.k.	<b>S17149</b>		2	50501		2	59660		
						1	76074		1	76144		
		+50	o.k.	<b>S17229</b>		2	50504		2	58130		
						1	76050		1	76150		
									1	17874		
(50mm suspension + 50mm bodylift)		+100	o.k.	<b>S17429</b>		2	50504		2	58130		
						1	76050		1	76150		
						1	99250		1	17874		
<b>Toyota</b>												
4 Runner	8/89-96	+50/60	o.k.	<b>S19219</b>		2	59510		2	58690		
						1	16749		1	76111		
Hilux +50/50 block kit	05-	+50/50	o.k.	<b>S03219</b>		2	50120		2	58740	*	
						1	76091		1	17689		
Hilux 4 WD	79-83	+85	---	<b>S03329</b>		2	59710		2	58450		
						r.	1	77652		1	31552	
						l.	1	77052		1	17730	
Hilux 4 WD	84-97	+85	---	<b>S03339</b>		2	59710		2	58740		
						r.	1	77652		1	31552	
						l.	1	77052		1	17730	
Hilux 4 WD IFS	86-97	+100	o.k.	<b>S03419</b>		2	58630		2	58740		
						1	TPF		1	TPR		
Landcruiser FJ40, BJ40 Softtop	69-80	+60	o.k.	<b>S06219</b>		2	58600		2	58890		
						2	77013		r.	1	77613	
						1	17780		l.	1	77113	
Landcruiser BJ42 Softtop	80-84	+60	o.k.	<b>S06229</b>		2	58600		2	58890		
						2	77013		r.	1	77613	
						1	17781		l.	1	77113	
Landcruiser HJ60-61	80-85	+75	o.k.	<b>S12319</b>		2	58690		2	58450		
						r.	1	77605		2	77105	
						l.	1	77005		1	17777	
Landcruiser HJ60-61	85-90	+75	o.k.	<b>S12329</b>		2	58690		2	58530		
						r.	1	77605		2	77105	
						l.	1	77005		1	17777	
Landcruiser BJ/FJ 70-73	84-89	+70	---	<b>S46319</b>		2	58690		2	59380		
						2	77008		2	77108		
									1	17777		
Landcruiser J9	96-02	+50	o.k.	<b>S62209</b>		2	50070		2	59800		
						1	76501		1	76601		
									1	16868		

\* new or changed  
 \*\* only springs  
 --- in process, soon available





		mm	TÜV	System	front			rear		
<b>Toyota</b>										
Landcruiser HZJ/PZJ 70-73	90-99	+60	---	<b>S46319</b>		2	58690		2	59380
						2	77008		2	77108
									1	17777
Landcruiser LJ/RJ70-73	10.85-89	+50	o.k.	<b>S46219</b>		2	59550	 r.	1	58530
								 l.	1	58320
						1	76019		1	76119
Landcruiser KJ/LJ/RJ70-73-77	1.90-4.96	+50	o.k.	<b>S46229</b>		2	57260		1	57270
<i>comfort</i>						1	76045		1	76145
Landcruiser KJ/LJ/RJ70-73-77	1.90-4.96	+50	o.k.	<b>S46239</b>		2	54580		1	54390
<i>sport</i>						1	76045		1	76145
Landcruiser J8/J105	90-98	+75	o.k.	<b>S58319</b>		2	54300		2	54310
						1	76068		1	76168
									1	17774
RAV4 SX, XA	94-00	+40	o.k.	<b>S49219</b>		1	17791		2	58710
									1	76131
<b>Volkswagen</b>										
T3 Syncro	84-92	+40	o.k.	<b>S60219</b>		2	50080		2	57980
						1	76081		1	76181
T3 Syncro, HD 400kg extra load	84-92	+40	o.k.	<b>S60229</b>		2	50090		2	57060
						1	76081		1	76183
Taro 4 WD	89-97	+100	o.k.	<b>S03419</b>		2	58630		2	58740
						1	TPF		1	TPR

\* new or changed  
 \*\* only springs  
 --- in process, soon available